Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Advection

Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).

Aggregates

Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Amplitude

Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Analytical techniques

Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Anisotropy

Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

Arid lands

Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Australia

Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Backfills

Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Barriers

Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).

Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Base course

Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Bayesian analysis

Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Bays

Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Bearing capacity

Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).

Limit Loads on Reinforced Foundation Soils. — Radosław L. Michalowski; 130(4), 381-90 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Bending moments

Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).

Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Bentonite

Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).

Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Biaxial loads

Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Bifurcations

Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Blast loads

Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Blasting

Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Blocks

Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).

Bonding

Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Bored piles

Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Boundary element method

Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Bridges, railroad

Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).

Buried pipes

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Cables
Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Caissons
Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Calibration
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

California
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).

Canyons
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).

Case reports
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Cements
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Centrifuge
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Centrifuge model
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).
Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Chemical properties
Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Classification
Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Clay liners
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).
Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).
Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Clay soils
Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Clays
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).
Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).
Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Closed-form solutions
Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Cohesion
Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).

Collapse
Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).

Collapsible soils
Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Combined stress
Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Compacted soils
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Compaction
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).

Compaction grouting
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).

Compressibility
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Compression
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).
Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Compression index
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Compression waves

Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Compressive strength

Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Computation

Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Computer applications

Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).

Conduits

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Cone penetration

Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Cone penetration tests

Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).

Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).

Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Consistency

Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Consolidation

Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).

Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Constitutive models

State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).

Constitutive relations

Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Contaminants

Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Convergence

Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Core walls

Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Corrosion

Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Creep

Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Crushing

Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Culverts

Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Cyclic loads

Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).

Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Cyclic strength

Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Dam failure

Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Dam foundations

Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).

Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Dam safety

Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Damage

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Damping

Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Dams

Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Dams, earth

Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).

Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Dams, embankment

Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Data analysis

Nonlinear Mohr Envelopes Based on Triaxial Data. — R. Baker; 130(5), 498-506 (2004).

Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Dead loads
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Debris
Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Deep foundations
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Deflection
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Deformation
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Deformation analysis
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).

Degradation
Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Density measurement
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Design
Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).
Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Diaphragm wall
Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Dielectric constant
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Differential settlement
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).

Diffusion
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Diffusion coefficient
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Dilatancy
State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).
Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Discrete elements
Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Dispersion
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Displacement
Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Downdrag
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Drainage
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Drilled shafts
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Driven piles
Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Dynamic analysis
Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Dynamic response
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Dynamic tests
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Earth pressure
Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).

Earth reinforcement
Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).
Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Earth structures
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).

Earthquake damage
Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).
Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Earthquakes
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).
High-Modulus Columns for Liquefaction

Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).
Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Efficiency

Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Elastic foundations

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Elastic properties

Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Elasticity

Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

Elastoplasticity

Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).
Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Electrical conductivity

Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Electrical resistivity

Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Embedded foundations

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Embedment

Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Empirical equations

Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Energy conservation

Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

Envelope

Nonlinear Mohr Envelopes Based on Triaxial Data. — R. Baker; 130(5), 498-506 (2004).

Environmental engineering

Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Erosion

SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Error analysis

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Evaporation

Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Expansive clays

Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

Expansive soils

Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).
Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Experimental data

Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Failure investigations

Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).

Failure modes

Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).

Failures

Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).
Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Field tests

Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).
Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Fills

Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Filters

Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

Fine-grained soils

Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).
Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Finite element method

Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).
Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).
Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Finite elements
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).
Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).
Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Flexibility
Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Flumes
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Fly ash
Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).

Footings
Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).
Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Foundation design
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).

Foundations
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).
Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Fractal analysis
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Fractals
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Frequency
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Friction
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Full-scale tests
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Geogrids
Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Geosynthetics
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).
Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Geotechnical engineering
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Granular materials
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Gravel
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Gravity
Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Ground motion
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Grouting
Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).
Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Heaving
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).
Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Humidity
Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Hybrid methods
Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Hydraulic conductivity
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).
Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Hydraulic gradients

Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).

Hydraulic properties

Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Hydrographs

SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Hysteresis

Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Impedance

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

In situ tests

Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Inelastic action

Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Inertia

Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).

Infiltration

Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Inflow

Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Inorganic chemicals

Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Interfaces

Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Isolation

Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Jet grouting

High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Joints

Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Kaolin

Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Korea

Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Laboratory tests

Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Landfills

Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).

Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Landslides

Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Lateral displacement

Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).

Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Lateral loads

Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Layered soils

Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Leachates

Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Leakage

Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Levees

Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).

Limit analysis

Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Limit equilibrium

Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).

Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).

Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Limit states

Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).

Liners

Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).

Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Liquefaction

Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).

Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).

High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Liquid limit

Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Load tests

Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Load transfer

Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Loads

Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Localization

Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Marine clays

Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Material properties

Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Mathematical models

Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Measurement

Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).

Membrane processes

Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Membranes

Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Microscopy

Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Microstructure

Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Mineralogy

Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Model tests

Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).

Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Models

Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Monte Carlo method
Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).

Nondestructive tests
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Numerical analysis
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).
Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Numerical models
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Oedometers
Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).
Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Oscillation
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Osmosis
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Overconsolidated clays
Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Partially saturated soils
Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Particle size distribution
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Pavements
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Penetration
Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Penetration resistance
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).

Penetration tests
Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Penetrometers
Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Permeability
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Piers
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Piezometers
Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Pile driving
Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).

Pile foundations
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).
Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Pile friction
Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Pile groups
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Pile lateral loads
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Pile-soil interaction
Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Piles
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).
Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).
Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Pipelines
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Pipes
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Piping erosion
Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Plasticity
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).

Plasticity index
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).

Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Pore pressure

Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).

Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Pore size distribution

Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Pore water pressure

Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Porosity

New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Predictions

Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Pressuremeters

Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Probabilitic methods

Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).

Progressive failure

Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Quality control

Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Radioactive waste disposal

Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Raft foundations

Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).

Railroad cars

Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).

Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Rainfall

Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Rayleigh waves

Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Regression analysis

Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Reinforcement

Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Relative density

Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).

Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Reliability

Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).

Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Residual soils

Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Residual strength

Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Resistance coefficients

Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).

Resonance

Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Retaining walls

Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).

New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Riprap

Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).

Risk assessment

Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Road design

Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Rock foundations

Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Rock masses

Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Rocks

Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Roughness

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Safety factors

Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Sand

Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).
State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).
Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).
Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).
Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).
Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Saturated soils

Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Saturation

Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Scale models

Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Scour

SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Seepage

Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Seismic design

Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).

Seismic effects

Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).

Seismic hazard

Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Seismic isolation

Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Seismic response

Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).

Seismic stability

Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).

Seismic tests

Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Settlement

Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Shaft resistance, piles

Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Shake table tests

Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Shallow foundations

Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Shear

Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Shear deformation

Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Shear forces

Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Shear strain

Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).

Shear strength

Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).

State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).
Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).
Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).
Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Shear stress
Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Shear tests
Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Shrinkage
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Silts
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Simple shear tests
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).

Simulation
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Skin friction
Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Sliding
Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).

Slip
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Slope stability
Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).
Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).
Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).
Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Slopes
Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).
Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).
Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Slurries
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

Slurry trenches
Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

Soft soils
Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Soil compaction
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Soil compressibility
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Soil compression
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Soil conditions
Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).

Soil deformation
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Soil erosion
Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).

Soil improvement
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).
Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).
Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Soil liquefaction
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Soil mechanics
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Soil mixing

High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Soil penetration tests

Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Soil pressure

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Soil resistance

Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Soil sampling

Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Soil settlement

Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Soil strength

Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Soil structure

New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Soil suction

Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Soil tests

Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Soil water

Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).

Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Soil water storage

Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Soil-pile interaction

Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Soil-structure interaction

Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Soils

Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).

Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Solutes

Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Sorption

Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Spreadsheets

Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Stability

Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Stabilization

Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).

Statistical analysis

Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Stiffness

Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).

Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Stones

Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).

Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Storage tanks

Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Strain

Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Strain softening

Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Strength

Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Stress

Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Nonlinear Mohr Envelopes Based on Triaxial Data. — R. Baker; 130(5), 498-506 (2004).

Stress measurement

Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Stress strain relations

Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Subgrades

Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).

Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Subsurface environment

Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Suction

Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).

Sulfates

Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).

Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Surface properties

Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Surface waves

Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Swelling

Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Swelling pressure

Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).

Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Synthetic materials

Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).

Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Taiwan

Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Tensile strength

Nonlinear Mohr Envelopes Based on Triaxial Data. — R. Baker; 130(5), 498-506 (2004).

Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Test equipment

Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Test procedures

Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Texas

Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).

Thermal probes

Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).

Thermal resistance

Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).

Thickness

Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Three-dimensional analysis

Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).

Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).

Torsion

Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. – Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Transport phenomena

Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Transport rate

Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Triaxial compression

Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Triaxial stresses

State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).

Triaxial tests

Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Tropical soils

Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Tunneling
Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).
Turkey
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).
Two-dimensional analysis
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).
Uncertainty analysis
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).
Underground storage
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).
Undrained shear tests
Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).
Unpaved roads
Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).
Unsaturated flow
Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).
Unsaturated soils
Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).
Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).
Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).
Vapor
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).
Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).
Verification
Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).
Vertical drain
Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).
Vertical loads
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).
Vertical movement
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).
Vibration
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).
Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).
Vibration control
Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).
Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).
Void ratio
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).
Walls
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).
Water content
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).
Wave propagation
Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).
Weathering
Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).
Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).
Wedges
Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).
Wetting front
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).
Wick drains
Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).
Yield
Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).
Yield surface
Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Author Index

Abe, A.
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Abu-Farsakh, Murad Y.
Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Adalier, Korhan
Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Adams, Tiffany
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

Alabaster, D.
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Allen, T. M.
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Allman, M. A.
Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Almeida, M. S. S.
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Anandarajah, A. Rajah
Closure to "Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid" by A. Anandarajah. — A. Rajah Anandarajah; 130(4), 450 (2004).

Arel, Ersin
Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Ashford, Scott A.
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).
Closure to "Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction" by Scott A. Ashford and Terrawut Juirnarongrit. — Scott A. Ashford and Terrawut Juirnarongrit; 130(9), 982 (2004).

Ashour, M.
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Au, S. K. A.
Closure to "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 130(8), 885-6 (2004).

Aubeny, C. P.
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).

Awad, Mohamed A.
Discussion of "Determination of Bearing Capacity of Open-Ended Piles in Sand" by Kyuho Paik and Rodrigo Salgado. — Mohamed A. Awad; 130(6), 656 (2004).

Baidya, D. K.
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Baker, R.
Nonlinear Mohr Envelopes Based on Triaxial Data. — R. Baker; 130(5), 498-506 (2004).

Balakrishnan, Ariyaputhirar
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Banerjee, P. K.
Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Barbour, S. Lee
Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Barker, Richard M.
Closure to "Effect of Live Load Surcharge on Retaining Walls and Abutments" by John S. Kim and Richard M. Barker. — John S. Kim and Richard M. Barker; 130(4), 447-8 (2004).

Bathurst, Richard J.
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Baturay, M. B.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Baxter, Christopher D. P.
Experimental Study on the Aging of Sands. — Christopher D. P. Baxter and James K. Mitchell; 130(10), 1051-62 (2004).

Bejerano, Manuel O.
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Benson, Craig H.
Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).
Moving to the Electronic Age. — Craig H. Benson; 130(5), 451 (2004).
Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Bergado, D. T.
Undrained Shear Behavior of Cement Admixed Clay at High Water Content. — Suksun Horpibulsuk, Norihiro Miura, and D. T. Bergado; 130(10), 1096-105 (2004).

Bergado, Dennes T.
Fundamental Parameters of Cement-Admixed Clay—New Approach. — Glen A. Lorenzo and Dennes T. Bergado; 130(10), 1042-50 (2004).

Bielak, Jacobo
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).

Blackburn, J. Tanner
Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Bo, Myint Win
Closure to "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 130(3), 340-1 (2004).

Bol, Ertan
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Bolton, M. D.
Closure to "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 130(8), 885-6 (2004).

Bouazza, Abdelmalek
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).

Boulanger, Ross W.
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Brachman, R. W. I.
Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Bray, Jonathan D.
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Briaud, J.-L.
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Britton, Jeremy P.
Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Budi, S. S.
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Burke, Christopher
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Byler, Brett R.
Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Byrne, Byron W.
Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Calvetti, Francesco
Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Cao, Xiao Dong
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).

Cardoso, A. S.
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Castellanza, Riccardo
Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).

Catan, M.
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Cerato, Amy B.
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Cetin, K. Onder
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Cetin, Onder K.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Chainuwat, Phonlawut
Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).
Errata for "Dynamic Properties of Chemically Stabilized Sulfate Rich Clay". — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(6), 661 (2004).

Chalermyanont, Tanit
Reliability-Based Design for Internal Stability of Mechanically Stabilized Earth Walls. — Tanit Chalermyanont and Craig H. Benson; 130(2), 163-73 (2004).

Chang, Brian K.F.
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Chang, D. W.
Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Chang, M. F.
Closure to "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 130(3), 340-1 (2004).

Chang, Ming-Fang
Discussion of "Effect of Sampling Disturbance on Properties of Singapore Clay" by Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka. — Ming-Fang Chang; 130(1), 116-7 (2004).
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).
Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Chen, C.-H.
Simplified Analysis Method for Micropile Pullout Behavior. — Anil Misra, C.-H. Chen, Raj Oberoi, and Andy Kleiber; 130(10), 1024-33 (2004).

Chen, H.
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Chen, H.-C.
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Chen, Sheng-hong
Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Chen, Yu-Hong
Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).
Closure to "Generalized Method for Three-Dimensional Slope Stability Analysis" by Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 130(2), 228-9 (2004).

Chen, Yu-jiong
Discussion of "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — Yu-jiong Chen; 130(8), 883-4 (2004).

Cheuk, C. Y.
Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Chew, S. H.
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Cho, Gye Chun
Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Choa, V.
Closure to "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 130(3), 340-1 (2004).

Chomtid, Suppakit
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Chong, Poh-Ting
Closure to "Effect of Sampling Disturbance on Properties of Singapore Clay" by Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 130(1), 118-9 (2004).

Chong, Pui-Chih
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Chow, Y. K.
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Christensen, C.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Christian, John T.
Geotechnical Engineering Reliability: How Well Do We Know What We Are Doing? — John T. Christian; 130(10), 985-1003 (2004).

Chu, J.
Closure to "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 130(3), 340-1 (2004).

Collins, Brian D.
Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Consoli, Nilo Cesar
Discussion of "Variable Bulk Modulus Constitutive Model for Sand" by Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin. — Nilo Cesar Consoli, Giovani Vilnei Rotta, and Pedro Domingos Marques Prietto; 130(7), 772-3 (2004).

Correia, A. Gomes
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Cyganiewicz, John
Closure to "Time for Development of Internal Erosion and Piping in Embankment Dams" by Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 130(9), 980-1 (2004).

da C. Guerra, N. M.
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Daniel, David E.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Dano, C.
Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Dasari, G. R.
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Davidson, Richard R.
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).

de F. N. Gitirana, Gilson, Jr.
Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Der Kiureghian, Armen
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Dhar, Ashutosh S.
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

di Prisco, Claudio
Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Dobchuk, Bonnie Sjoberg
Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Dowding, Charles H.
Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction. — J. Tanner Blackburn and Charles H. Dowding; 130(3), 231-9 (2004).

Drnevich, Vincent P.
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Durgunoglu, H. Turan
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Durgunoglu, Turan
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Edil, Tuncer B.
Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Einav, Itai
Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

El-Desouky, Magdy
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).

El-Garhy, B. M.
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Fell, Robin
Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).
Closure to "Time for Development of Internal Erosion and Piping in Embankment Dams" by Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 130(9), 980-1 (2004).

Feng, Tao-Wei
Using a Small Ring and a Fall-Cone to Determine the Plastic Limit. — Tao-Wei Feng; 130(6), 630-5 (2004).

Fenton, Gordon A.
Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).

Fernandes, M. Matos
Vertical Stability of Anchored Concrete Soldier–Pile Walls in Clay. — N. M. da C. Guerra, A. S. Cardoso, M. Matos Fernandes, and A. Gomes Correia; 130(12), 1259-70 (2004).

Filz, George M.
Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry. — George M. Filz, Tiffany Adams, and Richard R. Davidson; 130(9), 915-21 (2004).
Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Fityus, S. G.
Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Foster, Mark
Closure to "Time for Development of Internal Erosion and Piping in Embankment Dams" by Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 130(9), 980-1 (2004).

Fox, Patrick J.
Analytical Solutions for Stability of Slurry Trench. — Patrick J. Fox; 130(7), 749-58 (2004).

Fredlund, Delwyn G.
Soil-Water Characteristic Curve Equation with Independent Properties. — Gilson de F. N. Gitirana, Jr., and Delwyn G. Fredlund; 130(2), 209-12 (2004).

Fung, W. T.
Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Futai, M. M.
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Gajan, Sivapalan
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Ganeshwara, Vela
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).

Gavin, Kenneth G.
Discussion of "Determination of Bearing Capacity of Open-Ended Piles in Sand" by Kyuho Paik and Rodrigo Salgado. — Barry M. Lehane and Kenneth G. Gavin; 130(6), 656-8 (2004).

Gazetas, George
Closure to "Kinematic Pile Response to Vertical P-Wave Seismic Excitation" by George Mylonakis and George Gazetas. — George Mylonakis and George Gazetas; 130(1), 121 (2004).

Gehling, Wai Ying Yuk
Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Gerwick, Ben C.
Pile Installation in Difficult Soils. — Ben C. Gerwick; 130(5), 454-60 (2004).

Giroud, J. P.
Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).

Gray, Donald H.
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Gribb, M. M.
Comparison of Soil Hydraulic Property Measurement Methods. — M. M. Gribb, R. Kodesova, and S. E. Ordway; 130(10), 1084-95 (2004).

Griffin, Julie Ann
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Griffiths, D. V.
Probabilistic Slope Stability Analysis by Finite Elements. — D. V. Griffiths and Gordon A. Fenton; 130(5), 507-18 (2004).
Profiles of Steady-State Suction Stress in Unsaturated Soils. — Ning Lu and D. V. Griffiths; 130(10), 1063-76 (2004).

Gu, Q.
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).

Hamel, James V.
Discussion of "Residual Shear Strength Mobilized in First-Time Slope Failures" by G. Mesri and M. Shahien. — James V. Hamel; 130(5), 544-6 (2004).

Han, Jie
Design Method for Geogrid-Reinforced Unpaved Roads. I. Development of Design Method. — J. P. Giroud and Jie Han; 130(8), 775-86 (2004).
Design Method for Geogrid-Reinforced Unpaved Roads. II. Calibration and Applications. — J. P. Giroud and Jie Han; 130(8), 787-97 (2004).
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Han, K. K.
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Handy, Richard L.
Anatomy of an Error. — Richard L. Handy; 130(7), 768-71 (2004).

Hara, Tadashi
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Harder, Leslie F., Jr.
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Harvey, John T.
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Heath, Andrew C.
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Herring, Wayne E.
Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill. — Jeremy P. Britton, George M. Filz, and Wayne E. Herring; 130(12), 1250-8 (2004).

Hicher, P.-Y.
Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Hiltunen, Dennis R.
Characterization of Spectral Analysis of Surface Waves Shear Wave Velocity Measurement Uncertainty. — Karen T. Marosi and Dennis R. Hiltunen; 130(10), 1034-41 (2004).

Hiraoka, Ryousuke
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Holtz, Robert D.
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Horpibulsuk, Suksun
Undrained Shear Behavior of Cement Admixed Clay at High Water Content. — Suksun Horpibulsuk, Norihiro Miura, and D. T. Bergado; 130(10), 1096-105 (2004).

Hosokawa, Koichi
Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Houlsby, Guy T.
Experimental Investigations of the Response of Suction Caissons to Transient Combined Loading. — Byron W. Byrne and Guy T. Houlsby; 130(3), 240-53 (2004).

Houston, Sandra
Introduction of John T. Christian, Thirty-Ninth Karl Terzaghi Lecturer, 2003, Nashville, Tenn. — Sandra Houston; 130(10), 984 (2004).

Hoyos, Laureano R.
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).

Hoyos, Laureano René
Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).
Errata for "Dynamic Properties of Chemically Stabilized Sulfate Rich Clay". — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(6), 661 (2004).

Hryciw, Roman D.
Letter to the Engineering Community. — Roman D. Hryciw; 130(4), 343 (2004).

Hsieh, Ming-Jyh
Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Hsu, Chu-Chung
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).

Hsu, S. T.
Errata for "Uplift Behavior of Blade-Underreamed Anchors in Silty Sand". — H. J. Liao and S. T. Hsu; 130(3), 342 (2004).

Hsu, Sung-Chi
Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Hu, L. M.
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Hu, Liming
Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Huang, Ching-Chuan
Seismic Stability of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang and Yu-Hong Chen; 130(1), 45-57 (2004).
Closure to "Generalized Method for Three-Dimensional Slope Stability Analysis" by Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 130(2), 228-9 (2004).

Hung, H. H.
Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Ilyas, T.
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Ishimaru, Makoto
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Jafari, M. R.
Closure to "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 130(8), 885-6 (2004).

Jiang, Jing-Cai
Discussion of "Generalized Method for Three-Dimensional Slope Stability Analysis" by Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen. — Jing-Cai Jiang and Takuo Yamagami; 130(2), 227-8 (2004).

Jin Lee, Woo
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Ju, S. H.
Three-Dimensional Analyses of Wave Barriers for Reduction of Train-Induced Vibrations. — S. H. Ju; 130(7), 740-8 (2004).

Juirnarongrit, Terrawut
Closure to "Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction" by Scott A. Ashford and Terrawut Juirnarongrit. — Scott A. Ashford and Terrawut Juirnarongrit; 130(9), 982 (2004).

Kadakal, U.
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).

Kagawa, T.
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Kamruzzaman, A. H. M.
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Karadayilar, T.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Kawabata, Toshinori
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Kayen, Robert E.
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Kazama, Motoki
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Kelley, Shawn P.
Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).

Kim, Jinman
Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).

Kim, John S.
Closure to "Effect of Live Load Surcharge on Retaining Walls and Abutments" by John S. Kim and Richard M. Barker. — John S. Kim and Richard M. Barker; 130(4), 447-8 (2004).

Kim, Nak-Kyung
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Klangvigit, C.
Closure to "Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses" by Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvigit; 130(10), 1108-9 (2004).

Kleeman, Peter W.
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

Kleiber, Andy
Simplified Analysis Method for Micropile Pullout Behavior. — Anil Misra, C.-H. Chen, Raj Oberoi, and Andy Kleiber; 130(10), 1024-33 (2004).

Knudsen, Justin W.
Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Kodesova, R.
Comparison of Soil Hydraulic Property Measurement Methods. — M. M. Gribb, R. Kodesova, and S. E. Ordway; 130(10), 1084-95 (2004).

Kodikara, J.
Discussion of "Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid" by A. Anandarajah. — J. Kodikara; 130(4), 449-50 (2004).

Koerner, Robert M.
Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Kokusho, Takeji
Undrained Shear Strength of Granular Soils with Different Particle Gradations. — Takeji Kokusho, Tadashi Hara, and Ryousuke Hiraoka; 130(6), 621-9 (2004).

Kolstad, Dale C.
Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions. — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 130(12), 1236-49 (2004).

Komine, Hideo
Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Komiya, K.
Closure to "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 130(8), 885-6 (2004).

König, Diethard
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Kontogianni, V.
Deformation and Failure of the Tymfristos Tunnel, Greece. — V. Kontogianni, A. Tzortzis, and S. Stiros; 130(10), 1004-13 (2004).

Koumoto, T.
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Kramer, Steven L.
Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).

Krapac, Ivan G.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Kratz de Oliveira, Luis Artur
Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Küçükarslan, S.
Inelastic Analysis of Pile–Soil Interaction. — S. Küçükarslan and P. K. Banerjee; 130(11), 1152-7 (2004).

Kulasingam, R.
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Kulhawy, Fred H.
Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Kutter, Bruce L.
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Lacerda, W. A.
Yield, Strength, and Critical State Behavior of a Tropical Saturated Soil. — M. M. Futai, M. S. S. Almeida, and W. A. Lacerda; 130(11), 1169-79 (2004).

Lai, Sheng-Yao
Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data. — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 130(12), 1271-82 (2004).

Lane, J. Dusty
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Law, K. T.
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Lee, C. F.
Causative Mechanisms of Rainfall-Induced Fill Slope Failures. — H. Chen, C. F. Lee, and K. T. Law; 130(6), 593-602 (2004).

Lee, C. J.
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Lee, F. H.
Method for Estimating Dynamic Compaction Effect on Sand. — F. H. Lee and Q. Gu; 130(2), 139-52 (2004).
Physicochemical and Engineering Behavior of Cement Treated Clays. — S. H. Chew, A. H. M. Kamruzzaman, and F. H. Lee; 130(7), 696-706 (2004).

Lee, Fook-Hou
Closure to "Effect of Sampling Disturbance on Properties of Singapore Clay" by Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 130(1), 118-9 (2004).

Lee, Jong-Sub
Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Lee, Wei F.
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Lehane, Barry M.
Discussion of "Determination of Bearing Capacity of Open-Ended Piles in Sand" by Kyuho Paik and Rodrigo Salgado. — Barry M. Lehane and Kenneth G. Gavin; 130(6), 656-8 (2004).

Leo, Chin Jian
Equal Strain Consolidation by Vertical Drains. — Chin Jian Leo; 130(3), 316-27 (2004).

Leong, E. C.
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Leong, Eng-Choon
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Leshchinsky, Dov
Geosynthetic Reinforced Multitiered Walls. — Dov Leshchinsky and Jie Han; 130(12), 1225-35 (2004).

Lettis, W.
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Leung, C. F.
Centrifuge Model Study of Laterally Loaded Pile Groups in Clay. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 130(3), 274-83 (2004).

Li, X. S.
State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).

Li, Y.
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Li, Yong-ming
Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Liao, H. J.
Errata for "Uplift Behavior of Blade-Underreamed Anchors in Silty Sand". — H. J. Liao and S. T. Hsu; 130(3), 342 (2004).

Likos, W. J.
Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).

Likos, William J.
Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Lim, Yong Yeow
Wetting-Induced Compression of Compacted Oklahoma Soils. — Yong Yeow Lim and Gerald A. Miller; 130(10), 1014-23 (2004).

Lindwall, Nils W.
Dimensionality and Directionality Effects in Newmark Sliding Block Analyses. — Steven L. Kramer and Nils W. Lindwall; 130(3), 303-15 (2004).

Ling, Hoe I.
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Liu, Huabei
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Lo, Irene M. C.
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Loehr, J. Erik
Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).

Lorenzo, Glen A.
Fundamental Parameters of Cement-Admixed Clay—New Approach. — Glen A. Lorenzo and Dennes T. Bergado; 130(10), 1042-50 (2004).

Lu, N.
Rate of Capillary Rise in Soil. — N. Lu and W. J. Likos; 130(6), 646-50 (2004).

Lu, Ning
Profiles of Steady-State Suction Stress in Unsaturated Soils. — Ning Lu and D. V. Griffiths; 130(10), 1063-76 (2004).
Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Lutenegger, Alan J.
Unit Skin Friction from the Standard Penetration Test Supplemented with the Measurement of Torque. — Shawn P. Kelley and Alan J. Lutenegger; 130(5), 540-3 (2004).
Determining Intrinsic Compressibility of Fine-Grained Soils. — Amy B. Cerato and Alan J. Lutenegger; 130(8), 872-7 (2004).

Lytton, R. L.
Shallow Slides in Compacted High Plasticity Clay Slopes. — C. P. Aubeny and R. L. Lytton; 130(7), 717-27 (2004).

Malusis, Michael A.
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Malvick, Erik J.
Strength Loss and Localization at Silt Interlayers in Slopes of Liquefied Sand. — R. Kulasingam, Erik J. Malvick, Ross W. Boulanger, and Bruce L. Kutter; 130(11), 1192-202 (2004).

Manda, Kiran K.
Effects of Layer Thickness and Density on Settlement and Lateral Spreading. — Bruce L. Kutter, Sivapalan Gajan, Kiran K. Manda, and Ariyaputhirar Balakrishnan; 130(6), 603-14 (2004).

Marchetti, Silvano
Discussion of "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — Silvano Marchetti, Paola Monaco, and Gianfranco Totani; 130(3), 339-40 (2004).

Marosi, Karen T.
Characterization of Spectral Analysis of Surface Waves Shear Wave Velocity Measurement Uncertainty. — Karen T. Marosi and Dennis R. Hiltunen; 130(10), 1034-41 (2004).

Martin, C. M.
Discussion of "Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses" by Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit. — C. M. Martin; 130(10), 1106-7 (2004).

Martin, James R., II
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Marui, Hideaki
Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Masia, Mark J.
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

McCoy, Burrill F.
Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).

McGrath, Timothy J.
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

McManus, K. J.
Constant Force Shaking of a Group of Four Drilled Shafts. — K. J. McManus and D. Alabaster; 130(2), 123-8 (2004).

Meegoda, Jay N.
Centrifuge Modeling of Light Nonaqueous Phase Liquids Transport in Unsaturated Soils. — Irene M. C. Lo, L. M. Hu, and Jay N. Meegoda; 130(5), 535-9 (2004).

Melinda, F.
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Mesri, G.
Closure to "Residual Shear Strength Mobilized in First-Time Slope Failures" by G. Mesri and M. Shahien. — G. Mesri and M. Shahien; 130(5), 548-9 (2004).

Michalowski, Radoslaw L.
Limit Loads on Reinforced Foundation Soils. — Radoslaw L. Michalowski; 130(4), 381-90 (2004).

Miller, Eugene A.
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).

Miller, Gerald A.
Wetting-Induced Compression of Compacted Oklahoma Soils. — Yong Yeow Lim and Gerald A. Miller; 130(10), 1014-23 (2004).

Miller, Richard D.
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Minowa, C.
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Misra, Anil
Simplified Analysis Method for Micropile Pullout Behavior. — Anil Misra, C.-H. Chen, Raj Oberoi, and Andy Kleiber; 130(10), 1024-33 (2004).

Mitchell, James K.
Introduction of Ben C. Gerwick Jr., Recipient of the 2001 Ralph B. Peck Award. — James K. Mitchell; 130(5), 453 (2004).
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).
Experimental Study on the Aging of Sands. — Christopher D. P. Baxter and James K. Mitchell; 130(10), 1051-62 (2004).

Miura, Norihiro
Undrained Shear Behavior of Cement Admixed Clay at High Water Content. — Suksun Horpibulsuk, Norihiro Miura, and D. T. Bergado; 130(10), 1096-105 (2004).

Mohri, Yoshiyuki
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Monaco, Paola
Discussion of "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — Silvano Marchetti, Paola Monaco, and Gianfranco Totani; 130(3), 339-40 (2004).

Moore, Ian D.
Two-Dimensional Analyses of Thermoplastic Culvert Deformations and Strains. — Ashutosh S. Dhar, Ian D. Moore, and Timothy J. McGrath; 130(2), 199-208 (2004).

Moss, Robert E. S.
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Mylonakis, George
Closure to "Kinematic Pile Response to Vertical P-Wave Seismic Excitation" by George Mylonakis and George Gazetas. — George Mylonakis and George Gazetas; 130(1), 121 (2004).

Naidu, Arnepalli Dali
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).

Ng, Charles W. W.
Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).
Development of Downdrag on Piles and Pile Groups in Consolidating Soil. — C. J. Lee and Charles W. W. Ng; 130(9), 905-14 (2004).

Ng, Tang-Tat
Behavior of Ellipsoids of Two Sizes. — Tang-Tat Ng; 130(10), 1077-83 (2004).

Norris, G.
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Nova, Roberto
Oedometric Tests on Artificially Weathered Carbonatic Soft Rocks. — Riccardo Castellanza and Roberto Nova; 130(7), 728-39 (2004).
Experimental and Numerical Analysis of Soil–Pipe Interaction. — Francesco Calvetti, Claudio di Prisco, and Roberto Nova; 130(12), 1292-9 (2004).

Nurtjahyo, P.
SRICOS-EFA Method for Complex Piers in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, and P. Nurtjahyo; 130(11), 1180-91 (2004).

Oberoi, Raj
Simplified Analysis Method for Micropile Pullout Behavior. — Anil Misra, C.-H. Chen, Raj Oberoi, and Andy Kleiber; 130(10), 1024-33 (2004).

Ogata, Nobuhide
Predicting Swelling Characteristics of Bentonites. — Hideo Komine and Nobuhide Ogata; 130(8), 818-29 (2004).

Ohmura, Hirofumi
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Olgun, C. Guney
High-Modulus Columns for Liquefaction Mitigation. — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoglu; 130(6), 561-71 (2004).

Olsen, Harold W.
Appropriate Material Properties for Advective–Diffusive Solute Flux in Membrane Soil. — Ning Lu, Harold W. Olsen, and William J. Likos; 130(12), 1341-6 (2004).

Onalp, Akin
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Önalp, Akin
Diagnosis of the Transition from Rock to Soil in a Granodiorite. — Ersin Arel and Akin Önalp; 130(9), 968-74 (2004).

Ooi, Phillip S.K.
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Ordway, S. E.
Comparison of Soil Hydraulic Property Measurement Methods. — M. M. Gribb, R. Kodesova, and S. E. Ordway; 130(10), 1084-95 (2004).

O'Rourke, T. D.
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Paik, Kyuho
Closure to "Determination of Bearing Capacity of Open-Ended Piles in Sand" by Kyuho Paik and Rodrigo Salgado. — Kyuho Paik and Rodrigo Salgado; 130(6), 658-60 (2004).

Papalou, Angeliki
Nonlinear Seismic Response of Earth Dams with Canyon Interaction. — Angeliki Papalou and Jacobo Bielak; 130(1), 103-10 (2004).

Park, Choon B.
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Park, J. H.
New Compression Index Equation. — J. H. Park and T. Koumoto; 130(2), 223-6 (2004).

Pender, Michael J.
Discussion of "Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction" by Scott A. Ashford and Terrawut Juirnarongrit. — Michael J. Pender; 130(9), 981-2 (2004).

Penumadu, Dayakar
Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Pestana, Juan M.
Normalizing Behavior of Unsaturated Granular Pavement Materials. — Andrew C. Heath, Juan M. Pestana, John T. Harvey, and Manuel O. Bejerano; 130(9), 896-904 (2004).

Phani Kumar, B. R.
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).

Phoon, Kok-Kwang
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Pilling, P.
Lateral Behavior of Pile Groups in Layered Soils. — M. Ashour, P. Pilling, and G. Norris; 130(6), 580-92 (2004).

Prakoso, Widjojo A.
Bearing Capacity of Strip Footings on Jointed Rock Masses. — Widjojo A. Prakoso and Fred H. Kulhawy; 130(12), 1347-9 (2004).

Prashant, Amit
Effect of Intermediate Principal Stress on Overconsolidated Kaolin Clay. — Amit Prashant and Dayakar Penumadu; 130(3), 284-92 (2004).

Prietto, Pedro Domingos Marques
Discussion of "Variable Bulk Modulus Constitutive Model for Sand" by Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin. — Nilo Cesar Consoli, Giovani Vilnei Rotta, and Pedro Domingos Marques Prietto; 130(7), 772-3 (2004).

Pu, Jialiu
Testing and Modeling of Soil-Structure Interface. — Liming Hu and Jialiu Pu; 130(8), 851-60 (2004).

Puppala, Anand J.
Dynamic Properties of Chemically Stabilized Sulfate Rich Clay. — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(2), 153-62 (2004).
Studies on Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 130(4), 391-402 (2004).
Errata for "Dynamic Properties of Chemically Stabilized Sulfate Rich Clay". — Laureano René Hoyos, Anand J. Puppala, and Phonlawut Chainuwat; 130(6), 661 (2004).

Puzrin, Alexander M.
Pressure-Dependent Elasticity and Energy Conservation in Elastoplastic Models for Soils. — Itai Einav and Alexander M. Puzrin; 130(1), 81-92 (2004).

Qian, Xuede
Effect of Apparent Cohesion on Translational Failure Analyses of Landfills. — Xuede Qian and Robert M. Koerner; 130(1), 71-80 (2004).
Estimation of Maximum Liquid Head over Landfill Barriers. — Xuede Qian, Donald H. Gray, and Robert M. Koerner; 130(5), 488-97 (2004).

Rahardjo, H.
Shear Strength of Compacted Soil under Infiltration Condition. — F. Melinda, H. Rahardjo, K. K. Han, and E. C. Leong; 130(8), 807-17 (2004).

Rahardjo, Harianto
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Randolph, Mark F.
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).

Rathi, A.
Dynamic Response of Footings Resting on a Sand Layer of Finite Thickness. — D. K. Baidya and A. Rathi; 130(6), 651-5 (2004).

Reul, Oliver
Design Strategies for Piled Rafts Subjected to Nonuniform Vertical Loading. — Oliver Reul and Mark F. Randolph; 130(1), 1-13 (2004).

Rezzoug, Aïssa
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Robertson, P. K.
Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Roemer, Matthias
Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Rollins, Kyle M.
Blast-Induced Liquefaction for Full-Scale Foundation Testing. — Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane; 130(8), 798-806 (2004).

Rotta, Giovani Vilnei
Discussion of "Variable Bulk Modulus Constitutive Model for Sand" by Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin. — Nilo Cesar Consoli, Giovani Vilnei Rotta, and Pedro Domingos Marques Prietto; 130(7), 772-3 (2004).

Roycroft, Glen A.
Seismic Performance and Deformation of Levees: Four Case Studies. — Eugene A. Miller and Glen A. Roycroft; 130(4), 344-54 (2004).
Compaction Grouting Test Program for Liquefaction Control. — Eugene A. Miller and Glen A. Roycroft; 130(4), 355-61 (2004).

Ryden, Nils
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Saitoh, Masato
Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Salgado, Rodrigo
Closure to "Determination of Bearing Capacity of Open-Ended Piles in Sand" by Kyuho Paik and Rodrigo Salgado. — Kyuho Paik and Rodrigo Salgado; 130(6), 658-60 (2004).

Sancio, Rodolfo B.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).

Santamarina, J. Carlos
Spatial Variability in Soils: High Resolution Assessment with Electrical Needle Probe. — Gye Chun Cho, Jong-Sub Lee, and J. Carlos Santamarina; 130(8), 843-50 (2004).

Sato, M.
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Savidis, Stavros
Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Schmertmann, John H.
Discussion of "Effect of Live Load Surcharge on Retaining Walls and Abutments" by John S. Kim and Richard M. Barker. — John H. Schmertmann; 130(4), 446-7 (2004).
Discussion of "Time for Development of Internal Erosion and Piping in Embankment Dams" by Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster. — John H. Schmertmann; 130(9), 980 (2004).

Schnaid, Fernando
Unsaturated Constitutive Surfaces from Pressuremeter Tests. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 130(2), 174-85 (2004).

Seed, Raymond B.
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Sento, Noriaki
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Shackelford, Charles D.
Predicting Solute Flux through a Clay Membrane Barrier. — Michael A. Malusis and Charles D. Shackelford; 130(5), 477-87 (2004).

Shahien, M.
Closure to "Residual Shear Strength Mobilized in First-Time Slope Failures" by G. Mesri and M. Shahien. — G. Mesri and M. Shahien; 130(5), 548-9 (2004).

Shahrour, Isam
Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Sharma, Radhey S.
Effect of Fly Ash on Engineering Properties of Expansive Soils. — B. R. Phani Kumar and Radhey S. Sharma; 130(7), 764-7 (2004).

Sharp, Michael K.
Embankment Dam on Liquefiable Foundation—Dynamic Behavior and Densification Remediation. — Korhan Adalier and Michael K. Sharp; 130(11), 1214-24 (2004).

Shen, W. Y.
Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Siddharthan, Raj V.
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).

Singh, Devendra Narain
Field Probe for Measuring Thermal Resistivity of Soils. — Arnepalli Dali Naidu and Devendra Narain Singh; 130(2), 213-6 (2004).

Sitar, Nicholas
Direct Estimation of Yield Acceleration in Slope Stability Analyses. — Jinman Kim and Nicholas Sitar; 130(1), 111-5 (2004).

Smith, D. W.
Expansive Soil Test Site Near Newcastle. — S. G. Fityus, D. W. Smith, and M. A. Allman; 130(7), 686-95 (2004).

Smith, Patrick M.
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).

Soga, K.
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).
Closure to "Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays" by S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 130(8), 885-6 (2004).

Stark, Timothy D.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Stewart, Jonathan P.
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Stiros, S.
Deformation and Failure of the Tymfristos Tunnel, Greece. — V. Kontogianni, A. Tzortzis, and S. Stiros; 130(10), 1004-13 (2004).

Sud, V. K.
Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).

Su Kim, Young
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Sun, Lixun
Errata for "Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil". — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 130(3), 342 (2004).

Tailliez, S.
Engineering Properties of Grouted Sands. — C. Dano, P.-Y. Hicher, and S. Tailliez; 130(3), 328-38 (2004).

Tak Kim, Byung
Experimental Load–Transfer Curves of Laterally Loaded Piles in Nak-Dong River Sand. — Byung Tak Kim, Nak-Kyung Kim, Woo Jin Lee, and Young Su Kim; 130(4), 416-25 (2004).

Tami, Denny
Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. — Denny Tami, Harianto Rahardjo, and Eng-Choon Leong; 130(9), 956-67 (2004).

Tan, Thiam-Soon
Closure to "Effect of Sampling Disturbance on Properties of Singapore Clay" by Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 130(1), 118-9 (2004).
Numerical Study of Finite Element Method Based Solutions for Propagation of Wetting Fronts in Unsaturated Soil. — Thiam-Soon Tan, Kok-Kwang Phoon, and Pui-Chih Chong; 130(3), 254-63 (2004).

Tanaka, Hiroyuki
Closure to "Effect of Sampling Disturbance on Properties of Singapore Clay" by Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 130(1), 118-9 (2004).

Tang, Wilson H.
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Tazoh, T.
Centrifuge Simulations of Large-Scale Shaking Table Tests: Case Studies. — T. Kagawa, M. Sato, C. Minowa, A. Abe, and T. Tazoh; 130(7), 663-72 (2004).

Teh, C. I.
Analysis of Laterally Loaded Piles in Soil with Stiffness Increasing with Depth. — W. Y. Shen and C. I. Teh; 130(8), 878-82 (2004).

Titi, Hani H.
Assessment of Direct Cone Penetration Test Methods for Predicting the Ultimate Capacity of Friction Driven Piles. — Murad Y. Abu-Farsakh and Hani H. Titi; 130(9), 935-44 (2004).

Tiwari, Binod
Objective Oriented Multistage Ring Shear Test for Shear Strength of Landslide Soil. — Binod Tiwari and Hideaki Marui; 130(2), 217-22 (2004).

Tokimatsu, Kohji
Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential. — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robert E. S. Moss; 130(12), 1314-40 (2004).

Totani, Gianfranco
Discussion of "Consolidation and Permeability Properties of Singapore Marine Clay" by J. Chu, Myint Win Bo, M. F. Chang, and V. Choa. — Silvano Marchetti, Paola Monaco, and Gianfranco Totani; 130(3), 339-40 (2004).

Totoev, Yuri Z.
Modeling Expansive Soil Movements Beneath Structures. — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 130(6), 572-9 (2004).

Toupiol, Cécile
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Triantafyllidis, Theodoros
Scaling Laws for Centrifuge Modeling of Capillary Rise in Sandy Soils. — Aïssa Rezzoug, Diethard König, and Theodoros Triantafyllidis; 130(6), 615-20 (2004).

Trivedi, A.
Collapse Behavior of Coal Ash. — A. Trivedi and V. K. Sud; 130(4), 403-15 (2004).

Tsai, Cheng-Chen
Closure to "Generalized Method for Three-Dimensional Slope Stability Analysis" by Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 130(2), 228-9 (2004).

Tzortzis, A.
Deformation and Failure of the Tymfristos Tunnel, Greece. — V. Kontogianni, A. Tzortzis, and S. Stiros; 130(10), 1004-13 (2004).

Ukritchon, Boonchai
Closure to "Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses" by Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvigit; 130(10), 1108-9 (2004).

Ulriksen, Peter
Multimodal Approach to Seismic Pavement Testing. — Nils Ryden, Choon B. Park, Peter Ulriksen, and Richard D. Miller; 130(6), 636-45 (2004).

Uzuoka, Ryosuke
Possibility of Postliquefaction Flow Failure due to Seepage. — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 130(7), 707-16 (2004).

Valocchi, Albert J.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Vangpaisal, Thaveesak
Gas Permeability of Partially Hydrated Geosynthetic Clay Liners. — Thaveesak Vangpaisal and Abdelmalek Bouazza; 130(1), 93-102 (2004).

Vucetic, Mladen
Volumetric Threshold Shear Strain for Cyclic Settlement. — Chu-Chung Hsu and Mladen Vucetic; 130(1), 58-70 (2004).

Walters, D.
New Method for Prediction of Loads in Steel Reinforced Soil Walls. — T. M. Allen, Richard J. Bathurst, Robert D. Holtz, Wei F. Lee, and D. Walters; 130(11), 1109-20 (2004).

Wan, Chi Fai
Investigation of Rate of Erosion of Soils in Embankment Dams. — Chi Fai Wan and Robin Fell; 130(4), 373-80 (2004).
Closure to "Time for Development of Internal Erosion and Piping in Embankment Dams" by Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 130(9), 980-1 (2004).

Wang, Shuohang
Simplified Lateral Load Analyses of Fixed-Head Piles and Pile Groups. — Phillip S.K. Ooi, Brian K.F. Chang, and Shuohang Wang; 130(11), 1140-51 (2004).

Wang, Wei-ming
Analysis of Gravity Dam on a Complicated Rock Foundation Using an Adaptive Block Element Method. — Sheng-hong Chen, Yong-ming Li, Wei-ming Wang, and Isam Shahrour; 130(7), 759-63 (2004).

Watanabe, Hiroyuki
Effects of Flexibility on Rocking Impedance of Deeply Embedded Foundation. — Masato Saitoh and Hiroyuki Watanabe; 130(4), 438-45 (2004).

Werth, Charles J.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Whang, Daniel H.
Seismic Compression of Two Compacted Earth Fills Shaken by the 1994 Northridge Earthquake. — Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray; 130(5), 461-76 (2004).

Whitman, Robert V.
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. I: Centrifuge Tests. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 14-25 (2004).
Seismic Deformation of Bar Mat Mechanically Stabilized Earth Walls. II: A Multiblock Model. — Raj V. Siddharthan, Vela Ganeshwara, Bruce L. Kutter, Magdy El-Desouky, and Robert V. Whitman; 130(1), 26-35 (2004).

Whittle, Andrew J.
Closure to "Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses" by Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvigit; 130(10), 1108-9 (2004).

Willingham, Thomas W.
Evaluation of Multidimensional Transport through a Field-Scale Compacted Soil Liner. — Thomas W. Willingham, Charles J. Werth, Albert J. Valocchi, Ivan G. Krapac, Cécile Toupiol, Timothy D. Stark, and David E. Daniel; 130(9), 887-95 (2004).

Wong, Ing Hieng
Behavior of Model Rafts Resting on Pile-Reinforced Sand. — Xiao Dong Cao, Ing Hieng Wong, and Ming-Fang Chang; 130(2), 129-38 (2004).

Wray, W. K.
Method for Calculating the Edge Moisture Variation Distance. — B. M. El-Garhy and W. K. Wray; 130(9), 945-55 (2004).

Wright, Stephen G.
Quasi-Three-Dimensional Slope Stability Analysis Method for General Sliding Bodies. — J. Erik Loehr, Burrill F. McCoy, and Stephen G. Wright; 130(6), 551-60 (2004).

Xu, Y. F.
Fractal Approach to Unsaturated Shear Strength. — Y. F. Xu; 130(3), 264-73 (2004).

Yamagami, Takuo
Discussion of "Generalized Method for Three-Dimensional Slope Stability Analysis" by Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen. — Jing-Cai Jiang and Takuo Yamagami; 130(2), 227-8 (2004).

Yang, J.
State-Dependent Strength of Sands from the Perspective of Unified Modeling. — J. Yang and X. S. Li; 130(2), 186-98 (2004).

Yang, Jun
Discussion of "Kinematic Pile Response to Vertical P-Wave Seismic Excitation" by George Mylonakis and George Gazetas. — Jun Yang; 130(1), 119-20 (2004).
Evaluating Liquefaction Strength of Partially Saturated Sand. — Jun Yang, Stavros Savidis, and Matthias Roemer; 130(9), 975-9 (2004).

Yang, Y. B.
Wave Barriers for Reduction of Train-Induced Vibrations in Soils. — H. H. Hung, Y. B. Yang, and D. W. Chang; 130(12), 1283-91 (2004).

Yegian, M. K.
Foundation Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and U. Kadakal; 130(11), 1121-30 (2004).
Soil Isolation for Seismic Protection Using a Smooth Synthetic Liner. — M. K. Yegian and M. Catan; 130(11), 1131-9 (2004).

Yilmaz, M. Tolga
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Yimsiri, S.
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Yoshida, Nobuyuki
Compression and Shear Behavior of Mudstone Aggregates. — Nobuyuki Yoshida and Koichi Hosokawa; 130(5), 519-25 (2004).

Yoshizaki, K.
Lateral and Upward Soil-Pipeline Interactions in Sand for Deep Embedment Conditions. — S. Yimsiri, K. Soga, K. Yoshizaki, G. R. Dasari, and T. D. O'Rourke; 130(8), 830-42 (2004).

Youd, T. Leslie
Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey. — Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 130(7), 673-85 (2004).
Liquefaction-Induced Lateral Spreading at Izmit Bay During the Kocaeli (Izmit)-Turkey Earthquake. — K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoglu, W. Lettis, and M. Tolga Yilmaz; 130(12), 1300-13 (2004).

Yu, Xiong
Soil Water Content and Dry Density by Time Domain Reflectometry. — Xiong Yu and Vincent P. Drnevich; 130(9), 922-34 (2004).

Yudhbir
Discussion of "Residual Shear Strength Mobilized in First-Time Slope Failures" by G. Mesri and M. Shahien. — Yudhbir; 130(5), 546-8 (2004).

Zhang, G.
Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. — G. Zhang, P. K. Robertson, and R. W. I. Brachman; 130(8), 861-71 (2004).

Zhang, Limin
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).
Reliability Verification Using Proof Pile Load Tests. — Limin Zhang; 130(11), 1203-13 (2004).

Zhang, Liming
Influence of Stress Ratio and Stress Path on Behavior of Loose Decomposed Granite. — Charles W. W. Ng, W. T. Fung, C. Y. Cheuk, and Liming Zhang; 130(1), 36-44 (2004).

Zhang, Lulu
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Zheng, Jianguo
Reducing Uncertainty of Prediction from Empirical Correlations. — Limin Zhang, Wilson H. Tang, Lulu Zhang, and Jianguo Zheng; 130(5), 526-34 (2004).

Zhou, Jian
Prediction of Water Vapor Movement through Waste Rock. — Bonnie Sjoberg Dobchuk, S. Lee Barbour, and Jian Zhou; 130(3), 293-302 (2004).

Zhu, Hong
Construction Effect on Load Transfer along Bored Piles. — Ming-Fang Chang and Hong Zhu; 130(4), 426-37 (2004).

Znidarcic, Dobroslav
Stability Analyses of Rainfall Induced Landslides. — Brian D. Collins and Dobroslav Znidarcic; 130(4), 362-72 (2004).

Zornberg, Jorge G.
Creep of Geotextiles Using Time–Temperature Superposition Methods. — Jorge G. Zornberg, Brett R. Byler, and Justin W. Knudsen; 130(11), 1158-68 (2004).

Zornberg, Jorge G.
Errata for "Blast-Induced Liquefaction for Full-Scale Foundation Testing" by Scott A. Ashford, Kyle M. Rollins, and J. Dusty Lane. — ; 130(12), 1350 (E) (2004).